

Animal & Plant Health Agency

Livestock Demographic Data Group: Cattle population report Livestock population density maps for **GB 2019**





© Crown copyright 2019

You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v.3. To view this licence visit <u>www.nationalarchives.gov.uk/doc/open-government-licence/version/3/</u> or email <u>PSI@nationalarchives.gov.uk</u>

Document information	
LDDG	Cattle
Report reference	CP18/19
Contributors	Department of Epidemiological Sciences, APHA
	Epidemiology and Risk Policy Advice team,
	АРНА
	Cattle Expert Group, Surveillance Intelligence
	Unit, APHA
	Science Strategy and Planning Group, APHA
Contacts for queries:	
Freedom of Information (FOI), Environmental	enquiries@apha.gov.uk
Information Regulations (EIR) and Subject	
Access requests	
Livestock Demographics Data Groups (LDDG)	Iddg@apha.gov.uk
Rapid Analysis and Detection of Animal related	RADAR@apha.gov.uk
Risk (RADAR) data warehouse	
Epidemiology and Risk Policy Advice, APHA	erpa@apha.gov.uk
Data source	Cattle Tracing System (CTS) / Rapid Analysis
	and Detection of Animal related Risk (RADAR)
	data warehouse
Data year	July 2018

Contents

Who are these reports for?1
Who did this work?1
What do the data show about the population?1
How accurate are the data?1
What do the data not show?2
How were the maps produced?2
Annex 1: Data quality statement for cattle (March 2019)5
Introduction5
Overview and purpose of the source data5

Who are these reports for?

These reports are suitable for use in animal health and welfare policy work which requires an estimate of the distribution and size of the cattle population at GB level. This type of population level information is often required to assess the economic or social impact of particular animal health policies, for contingency, disease control and resource planning, or to provide evidence to trading partners. There are important assumptions and uncertainties with these estimates which the user needs to take into consideration and can be found at <u>Annex 1</u>.

Who did this work?

The Livestock Demographic Data Groups (LDDGs) were formed in January 2014 and are comprised of APHA representatives from data, epidemiology, species expert and GIS work groups. The work was initiated and completed between December 2018 and March 2019. The LDDGs are grateful to British Cattle Movement Service (BCMS), IBM and APHA Weybridge Data Systems Group (DSG) staff who handled the Cattle Tracing System (CTS) data and the APHA Rapid Analysis and Detection of Animal Related Risks (RADAR) data warehouse for their assistance in producing this report.

What do the data show about the population?

Figures 1 and 2 show either the density of animals, with a smaller map to show how this compares with the density of holdings, or vice versa. In contrast to other livestock species, there is little difference for cattle between the two distributions. Both the cattle population density and holding maps reflect widespread understanding of the cattle industry demographic. The greatest density of cattle population and holdings is generally on the west side of Great Britain; this includes Ayrshire, Dumfries & Galloway, Cumbria, Cheshire, southwest Wales, Devon, Somerset and Cornwall. The areas with the sparsest cattle population and holding densities also reflect general understanding of the cattle industry demographic; these include parts of northwest Scotland and parts of East Anglia.

How accurate are the data?

The data are derived from the CTS by analysis of all the reported movements of cattle on and off holdings in Great Britain at 1st July 2018; such movements are reported continuously and with a slight delay due to data processing timescales Thus the data best represent the numbers and locations of cattle in the period up to three months before the date the data were extracted (i.e. 1st April 2018). The output of this analysis is stored in 'RADAR', an APHA information management system; where location data are missing in the record due to subsequent updates, RADAR derives this from other information using a

'best address' algorithm. Therefore there can be a discrepancy between the 'RADAR' location and that provided originally through CTS; 88% of RADAR and CTS locations are within 2km, but notably 3% are > 20km apart. The supporting quality statement provides further detail on the limitations in the data (<u>Annex 1</u>).

What do the data not show?

The population dataset represents a single snapshot in time (as at July 1st 2018). It does not draw out the variation in beef and dairy production, or the pattern of movements between cattle herds, or the effect of seasonal breeding on the number of young calves.

The representation of the cattle demographic by data from CTS is near complete, but not perfect. A small number of movements are not recorded, either due to non-compliance or are not required to be recorded (for example linked herd movements). However, these are believed to be few and to not significantly impact the data presented.

There is uncertainty inherent in the information displayed. Limitations in the dataset are discussed in the supporting quality statement (<u>Annex 1</u>) and it is important that the user considers these in the context of their work. Similarly population and holding density maps are classified to different scales and units; and due care must be taken regarding their interpretation.

How were the maps produced?

The figures have been created using the kernel density function in *ArcGIS software*. This tool distributes population information over a defined radius (15km radius for the figures presented within this report), creating a smooth density surface. Two key parameters that require adjustment are the *search radius distance* and the size of the *output surface grid*. Discussion at the LDDG meetings informed these criteria, and their selection is recognised as a subjective process¹. A search radius of 15km was deemed sufficient to enable distinction between categories and a 1km grid square was used for the density surfaces themselves. The classification bins were limited to six, to aide in cross referencing areas of the map to the key. Note that the ArcGIS Kernel Density tool does not take into account edge effects², and as such density estimates in and around coastal areas may be under estimated.

Comparison between the maps was optimised by assigning similar parameters between the species in this series of reports to those used in previous reports. However, further refinement of the parameters for each species dataset could represent the information more accurately and will be explored.

¹ Pfeiffer, D. Spatial Analysis in Epidemiology, 2008. p47.

² https://www.e-education.psu.edu/geog586/l5_p15.html




Figure 1: Cattle population density in GB (CTS)




Figure 2: Cattle holding density in GB (CTS)

Annex 1: Data quality statement for cattle (March 2019)

Introduction

This data quality statement provides an overview of the quality of the data used to underpin the kernel density holding and livestock figures. This statement is written in the context of the data being used to provide an overview of the livestock demographics within Great Britain. The statement may not necessarily relate to data quality for other purposes.

Overview and purpose of the source data

Data were supplied by the APHA's Data Systems Group (DSG) and sourced from the Rapid Analysis and Detection of Animal-related Risks (RADAR) data warehouse, the Cattle Tracing System (CTS) database and APHA's Sam database. The CTS dataset describes cattle movement data within GB and is captured by the British Cattle Movement Service (BCMS). It includes further information including location data which can be used to estimate the number of cattle on holdings in GB.

Category [definition]	Quality description
Relevance of data	Spatial coverage: The data cover Great Britain.
[degree to which data meets user	Temporal coverage: The data presented are for July 1 st 2018 and were accessed in October 2018.
needs in terms of currency, geographical coverage, content and detail]	Key data items available: The dataset includes births, deaths and movements for registered cattle. It can estimate the number and location of cattle at any one point in time based on these movement records. It also includes data on breed and sex.
[the degree to which data represent reality from the required time point]completed movement Movement Service (Location co-ordinate operational database uploaded to RADARWhen does the dat	How often are the data collected? A continuous stream of completed movement forms are submitted to the British Cattle Movement Service (BCMS) by farmers and entered into CTS. Location co-ordinates of holdings are uploaded from APHA's operational database called SAM only once per holding. Data are uploaded to RADAR monthly.
	When does the data become available? Data becomes available in RADAR up to one month after collection.

	 Data reference period: The database is fed continuously but the population data is a snapshot extracted from July 1st 2018. This month was chosen because the cattle population drops approximately 4% over winter but is most stable during summer. How often are the data updated? CTS data is the most accurate in data reference periods that are over 3 months old at the time of extraction. This allows completion of all movement form submissions, data entry to be finalised and the database to be updated, although analysis shows completeness of the upload is over 98% for the most recent month. Holding location coordinates for a CPH are not updated in CTS, and if SAM does not have a record of that holding no coordinates are assigned. Gaps in the initial upload of SAM location coordinates into CTS are filled by the RADAR 'best co-ordinates' algorithm which imputes the location from other data including the address.
Accuracy and precision [extent of data error and bias and how well data portrays reality]	How were the data collected? Cattle population estimates on each holding are calculated from cattle movement information. Farmers are legally required to submit completed records of cattle movements on forms to BCMS. Separate movement forms are submitted as <i>movements off</i> and <i>movements on</i> ; these are 'paired' by IBM prior to being made available, i.e. the <i>from</i> and <i>to</i> herd forms are combined into a single record. Location coordinates are assigned to a holding from SAM when a submitted form has a new location, but location data will be missing if SAM has no record at the time. SAM amendments to the location are not usually fed back to BCMS. RADAR 'best' coordinates are also available which are calculated with additional information including the current address data for the holding.
	Sample & collection size: There are approximately 380,000 CPH records within the CTS dataset, which includes all historical records and changes. Of this there are 145,000 unique CPHs that represent individual holdings, and 66,725 of these were currently active premises, as at 1 st July 2018. There are approximately 900,000 movement records per month which are used to calculate changes in the cattle population on each holding.
	What steps have been taken to minimise processing errors? DSG monitors the monthly CTS upload by checking that the file is complete and holds expected data. Checks are made monthly by IBM to ensure the data has loaded into RADAR correctly. BCMS have a form for staff to report movements and a group which investigates and resolves those issues which appear suspicious or

	inaccurate.
	What are the non-reporting or non-response rates? We assume very few farmers do not complete forms, as it is a legal requirement to do so, and we are aware of situations occurring where people have faced prosecution for not registering movements with CTS. Unrecorded movements may lead to incomplete data, so inferred movements are calculated when the animal next appears on a movement submission. These movements are expected to be within the same geographical area and are unlikely to impact the population counts significantly.
	Temporary Holdings (THs) and Temporary Land Associations (TLAs) used for more accurate population data: Sole Occupancy Authorities (SOAs) and Linked Holdings have been acknowledged in previous reports but these have been phased out since 2015. Since 2016 however, and more recently in Wales, THs and TLAs have been introduced in order to more accurately determine where cattle reside at any moment in time. Owners previously permitted to graze cattle on rented land >10 miles from the parent holding now have to register that rented land as a temporary holding, and movements between it and the parent holding reported. Within 10 miles this is not necessary, as previously, although any land grazed has to be registered even though movements to it need not be reported. No cattle are lost from the total population as a result of this, which remains unaffected, and it does represent a greater accuracy as to where the cattle are. Movements to and from THs are often seasonal, so where the cattle involved contribute to the density mapping will be dependent on where they are when the data is compiled. However, there are only 945 active THs (July 2019) and three quarters are within 30km of the parent holding, so the effect on the cattle density map is minimal. The additional THs though do contribute to the holding density map but the increase and effect is considered minor, especially as they are spread throughout England and Wales. TLAs are not represented in the holding map. This policy differs in Scotland in that when keepers temporarily move their animals to a different holding, an additional herd will be registered to that holding and any movements will be reported.
Comparability	Within dataset comparability: Routine checks show that data
[how well these data	extracted at different times are highly comparable.
can be compared	Other dataset comparability: The CTS data appears to be the
with data taken from	most accurate for placing cattle in a place at a point in time. SAM
the same dataset	and RADAR may have more up to date information on location

and with similar data from other sources]	coordinates. This will have minimal impact on county level summaries or kernel density smoothed maps.
Coherence [degree to which data can be or have been merged with other data sources]	How consistent are the data over time? If there are differences, what are they and what is their impact? Have there been changes to the underlying data collection? CTS Data are most complete and accurate since 2000. We are not aware of any change in collection methods during recent years but assume minimal bias has been caused. Current location details may be different from when location was first recorded, but should still be of similar geographic location.
	Have any real world events impacted on the data since the previous release? Slow data entry is anticipated during notifiable exotic disease outbreaks, but this has not affected the extract chosen.
	What other data sources are these data comparable with? Location data are comparable between CTS, SAM and RADAR. We are not aware of any other datasets that would hold information on cattle movements. SAM indicates the number of animals on a holding at each TB test, but this is not as accurate as calculating the population from CTS movement records.
Interpretability [how well the data is understood and utilised appropriately]	Is there a particular context that these data needs to be considered within? This dataset can be used to obtain information regarding animal movements and animal population counts. The cattle population peaks during the summer and dips during the winter. These data are from the summer peak (July 1 st 2018). As registration of movements is legally enforced, we expect the data to be a near complete representation of cattle within the agricultural industry.
	What other information is available to help users better understand this data source? We have documentation of what the tables and data represent. IBM have technical documentation for the compilation of the data.
	Are there any ambiguous or technical terms that may need further explanation? The different types of holding/location present may need explaining for recipients of raw data.
Accessibility	What data are shared and with whom? Addresses and coordinates of individual locations cannot be released without Confidentiality Agreements. However, summary cattle movement outputs and aggregated data can be shared. The dataset is very

[availability of relevant information and access to the data in a convenient and suitable manner]	large, so provision of individual records would not be easy even with Confidentiality Agreements in place. Aggregated data are a better option. Data are stored within SQL (Structured Query Language) tables on secure servers. Contact details for data source queries
	Contact details for data source queries
	Agricultural Survey England: Farming-statistics@defra.gov.uk
	Agricultural Survey Wales: <u>Stats.agric@wales.gov.uk</u>
	Agricultural Survey Scotland: agric.stats@scotland.gov.uk
	Brittish Cattle Movement Service: <u>bcmsenquiries@rpa.gov.uk</u>
	Rapid Analysis and Detection of Animal related Risk (RADAR) data warehouse: RADAR@apha.gov.uk
	Data System Group (DSG) Animal and Plant health Agency Weybourne Building, Level 2, Area F, Woodham Lane, Addlestone, Surrey, KT15 3NB