

TB 64 (ENG/SCOT)

TO BE USED WHEN READING TB TESTS AT STANDARD AND AT SEVERE INTERPRETATION  
IN ENGLAND AND SCOTLAND ONLY FROM 01/01/2010.

**Standard and Severe Interpretation in England and Scotland**

Bovine increase (and description of reaction)	10	SO	+	R	R	R	R	R	R	R	R	R	R	I	I	I	I	--
		C	-	R	R	R	R	R	R	R	R	R	R	I	I	I	I	--
	9	SO	+	R	R	R	R	R	R	R	R	R	R	I	I	I	I	--
		C	-	R	R	R	R	R	R	R	R	R	R	I	I	I	I	--
	8	SO	+	R	R	R	R	R	R	R	R	R	R	I	I	I	I	--
		C	-	R	R	R	R	R	R	R	R	R	R	I	I	I	I	--
	7	SO	+	R	R	R	R	R	R	R	R	R	R	I	I	I	I	--
		C	-	R	R	R	R	R	R	R	R	R	R	I	I	I	I	--
	6	SO	+	R	R	R	R	I	I	I	I	I	I	I	I	I	I	--
		C	-	R	R	R	R	I	I	I	I	I	I	I	I	I	I	--
	5	SO	+	R	R	I	I	I	I	I	I	I	I	I	I	I	I	--
	C	-	R	R	I	I	I	I	I	I	I	I	I	I	I	I	--	
4	SO	+	I	I	I	I	I	I	I	I	I	I	I	I	I	I	--	
	C	-	I	I	I	I	I	I	I	I	I	I	I	I	I	I	--	
3	SO	+	I	I	I	I	I	I	I	I	I	I	I	I	I	I	--	
	C	-	I	I	I	I	I	I	I	I	I	I	I	I	I	I	--	
2	SO	+	I	I	I	I	I	I	I	I	I	I	I	I	I	I	--	
	C	-	I	I	I	I	I	I	I	I	I	I	I	I	I	I	--	
1	SO	+	I	I	I	I	I	I	I	I	I	I	I	I	I	I	--	
	C	-	I	I	I	I	I	I	I	I	I	I	I	I	I	I	--	
0	SO	+	I	I	I	I	I	I	I	I	I	I	I	I	I	I	--	
	C	-	I	I	I	I	I	I	I	I	I	I	I	I	I	I	--	
	**		-	+	-	+	-	+	-	+	-	+	-	+	-	+	-	+
	*		C	SO	C	SO	C	SO	C	SO	C	SO	C	SO	C	SO	C	SO
			0	1	2	3	4	5	6	7	8	9	10					

Avian increase (and description of reaction)

\* C = No oedema (i.e. Circumscribed or none), SO = Some oedema (SO)

\*\* + = Positive Reaction, - = Negative Reaction

**R** Reactor (Fail - remove)

**I** Inconclusive Reactor at standard and severe interpretation (IR - retest)

**--** Pass (retain)

**I** Inconclusive reactor (IR) at standard int., **reactor at severe int.**